

# KITSEN TECHNOLOGIES CO., LTD.

## Company Profile

 Leading Brand of formwork and scaffolding 



**目录**  
**CONTENTS**

**1**

About KITSEN

**2**

KITSEN Products

**3**


Why Choose KITSEN



# 1. About KITSEN



▶ KITSEN 1st Factory (80,000m<sup>2</sup> Area)



▶ KITSEN 2nd Factory (100,000m<sup>2</sup> Area)



▶ KITSEN 3rd Factory (100,000m<sup>2</sup> Area)



## \* Establishment

Found in 1995, 27 years experience in Scaffolding and Formwork Industry

## \* Factories

Three factories, covering 300,000.00 m<sup>2</sup> totally in Guangdong and Guangxi

## \* Workers

Over 1,200 workers, 120 engineers, 40 quality inspectors and 60 sales

## \* Patents

More than 30 patent products at home and abroad



## 1. About KITSEN – Production Line

**KITSEN**<sup>®</sup>



Production Environment



Production Environment



Robot Welding Production Line



Automatic Spraying Line



Automatic Laser Punching Machine



Automatic Ringlock Welding Machine







# 1. About KITSEN – Quality Control

# KITSEN®

Following the IQC, IPQC and FQC Procedures according to GB/T2828.1—2003/ISO2859-1:1999 norms to inspect all incoming material, random inspection during every process of manufacturing and final inspection before shipment.



Self-Climbing Platform Test



Tensile Test



Hardness Test



Sticker Test



Abrasion Resistance Test



Sticker Chromatic Aberration Test



Wheels Rolling Test



Panel Loading Capacity Test



Stress Test




Loading Capacity Test



Aligner Stress Test

10 welders with Qualification Certificate, in accordance with AWS D1.2/D1.2M; and our welding workshop is satisfied requirements of IIW, according to ISO 3834 standards.

Our scaffoldings are certified to meet EN 1004:2004 Standards, and material certificates can be provided according to EN10204 2.2 OR3.1/3.2 if required by customers.





# 1. About KITSSEN - Certificates



ISO9001:2015 International Quality System



ISO45001:2018 Occupational Health and Safety Management System



TUV Certification




CE Certification



SGS Certification



IIW International Welding Certification






## 2. KITSEN Product

**KITSEN**<sup>®</sup>



- Aluminum Tower Scaffolding
- Aluminum & Steel Ringlock Scaffolding
- Aluminum & Steel Kwikstage Scaffolding
- Aluminum & Steel Folding Scaffolding
- Steel Frame Scaffolding
- Steel Self-Climbing Scaffolding
- Aluminum & Steel Shoring Prop



- K100 Wall& Column Formwork
- Fastform System
- Easyform System
- 3D Early-stripping System



- OEM&ODM







## 2. KITSEN Product – Formwork System

**KITSEN**<sup>®</sup>



### K100 Wall & Column Formwork

#### 1-Easy Maintenance:


- \*Aluminum Frame make no rusting surface happen;
- \*Plywood surface able to be changed by site worker.

#### 2-High Loading Capacity: **60KN/m<sup>2</sup>**

#### Project Cases:

**Location:** Malaysia, Philippines, USA...

**Application:** all kinds of building external wall, shear wall, column, and reinforced concrete pouring formwork







## 2. KITSEN Product – Formwork System

**KITSEN**<sup>®</sup>



### Project Cases:

**Location:** Malaysia, Thailand, USA, Australia, Philippines...


**Application:** slab, beam, column...

### Fastform Slab Formwork System

1-**High efficiency**, simplified modular components for easier and faster erecting and dismantling.

2-**Allow early-stripping**, 5 days complete one floor's construction

3-**Safety and Reliable**, stable with 6-direction locking restrictions and self-locking function for wind proof.





## 2. KITSEN Product – Formwork System

**KITSEN**<sup>®</sup>

### Aluminum Formwork


- 1- **One-time pouring**, suit any housing projects.
- 2- **Use recycle**, more than 300 times
- 3- **Great recyclable value**, up to 30%
- 4- **Great concrete quality**, no need plastering



### Project Cases:

**Location:** Cuba, Ghana, Kenya, Philippines, Chile, Malaysia, USA...

**Application:** slab, wall, column, stairs, window...







## 2. KITSEN Product – Formwork System

**KITSEN**<sup>®</sup>



### 3D Early-stripping Slab Formwork


- 1-**Strong loading capacity**, high strength steel beams
- 2-**High Efficiency**, 5 days finish one floor.
- 3-**Economical**, no plastering cost.
- 4-**Easy to assembly**, no bolt needed.



#### Project Cases:

**Location:** Yangjiang, Philippines, Egypt...

**Application:** slab...





## 2. KITSEN Product – Scaffolding System

**KITSEN**®



### Project Cases:

**Location:** Cambodia, Malaysia, Africa Ethiopia, Mexico, Thailand, Philippines....

**Application :** high-rise buildings and super high-rise shear wall structures

### Self-Climbing Scaffold System

- 1-Climbing mechanism helps **one-time installation and lifting**
- 2-**Safety**, screen design avoids falling when operating
- 3-No usage of tower crane
- 4-Suitable for **high-rise buildings**







## 2. KITSEN Product – Scaffolding System

**KITSEN**<sup>®</sup>



### Ringlock Scaffold System


- 1- Easy to handle, no extra tools for assembly and dismantling
- 2- **Versatility**, assembled as **facade scaffolding** and **shoring** to suit any height and different work environments
- 3- Compatible with **Layher** Ringlock scaffolding system.
- 4- **High quality**, welded by **Robot** under the requirements of **IIW** according to **ISO3834**



### Project Cases:

**Location:** Hong Kong, Macau, Malaysia, Bangladesh...

**Application:** bridge maintain, subway well, stage build...





## 2. KITSEN Product – Scaffolding System



**SGS**

**TEST REPORT**

No. : QZ/IN170501018CCM  
Date : Jun. 19, 2017  
Page : 1 of 29

CUSTOMER NAME: SENHY CONSTRUCTION CO., LTD.  
ADDRESS: C2-1, NO.7 OF SHILI INDUSTRIAL ZONE, BEIGUAN TOWN, YANGDONG COUNTY, YANGJIANG CITY, GUANGDONG, P.R.CHINA

Sample Name : ALUMINUM RINGLOCK SCAFFOLD  
Manufacturer : SENHY CONSTRUCTION CO., LTD.  
Material and Mark : 6061-T6

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

SGS Ref. No. : QZ/IN170501018CCM  
Date of Receipt : May. 02, 2017  
Testing Start Date : May. 04, 2017  
Testing End Date : Jun. 09, 2017  
Test result(s) : For further details, please refer to the following page(s)  
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for and on behalf of  
SGS-CSTC Standards Technical Services Co., Ltd  
Guangzhou Branch

Jay Xue  
Authorized signatory

 Detailed information about SGS, its services, and its commitment to quality and safety. The text is small and partially illegible but includes the SGS logo and mentions 'SGS-CSTC Standards Technical Services Co., Ltd'.

Mention of the SGS Group (SGS SA)


### Aluminum Ringlock Scaffold Test – SGS Certificate

Meet with **AS/NZS 1576.3:2015 Standard**

Testing Purpose: Loading capacity

Sample: 2.0x1.29x2.5m (LxWxH) Aluminum Ringlock System

Testing Result: The Max Loading Capacity is 106KN





## 2. KITSEN Product – Scaffolding System

**KITSEN**<sup>®</sup>



### Aluminum Tower Scaffold System

- 1-**BS EN 1004:2004 standards**, passed TUV test
- 2-**Flexible**, various combination of different components
- 3-**Safety**, Working load of 272kg per platform
- 4-**Light Weight** to handle, easy for erection

#### Project Cases:

**Location:** Poland, Malaysia, Dubai, New Zealand, Australia, Portugal, Spain...

**Application:** maintain, billboards installation, decoration ...







## 2. KITSEN Product – Scaffolding System

**KITSEN®**

Our aluminum tower has passed TUV Certificate, meet with EN 1004:2004 Standard.



| Zertifikat  | Certificate                                  | TÜV Rheinland  |  |
|---|--|--|--|
| Zertifikat Nr. / Certificate No.<br>S 50416543  | Blatt / Sheet<br>0001                        |  |  |
| Das Zeichen / Client Reference<br>05-XC-50147944 001  | Einzel-Zeichen / Our Reference<br>14.10.2023 | Längstens gültig bis / Latest expiration date (day/month)  |  |
| <b>Geschäftsinhaber / License Holder</b><br>KITSEN Technologies Co., Ltd.<br>No. 7 of Shuli Industrial Zone<br>Baiguan Town, Yangdong County<br>Yangjiang, Guangdong<br>P. R. China   |  | <b>Fertigungsstätte / Manufacturing Plant</b><br>Yangjiang Kitsen Construction<br>Hardware Co., Ltd.<br>National Highway 325<br>Baiguan Town, Yangdong<br>Yangjiang, Guangdong 529932<br>P. R. China |  |
| <b>Prüfzeichen / Test Mark</b><br>  |  | <b>Geprüft nach / Tested acc. to</b><br>EN 1004:2004<br>AEPG GS 1014:01  |  |
| <b>Zertifiziertes Produkt (Geräteidentifikation) / Certified Product (Product Identification)</b><br><b>Arbeitsabhöhe, verfahrbar (Mobile Working Tower)</b>  |  | <b>Lizenztypen / Einzel / License Fee - Unit</b>   |  |
| <b>Bezeichnung (Type Designation)</b> : #W122      #W123  |  |  |  |
| <b>Max. Höhe Plattform (Max. platform height)</b> : 12m      9m   |  |  |  |
| <b>Abmessung Plattform (Size of platform)</b> : 1900 mm x 810 mm  |  |  |  |
| <b>Lastgruppe (Load Class)</b> : I (2250 kg)  |  |  |  |
| <b>Aluprofil (Alu profile)</b> : Dia. 59,6 x 3,0mm  |  |  |  |
| <b>Alumini(m) (Aluminium)</b> : EN AW 6061-T6   |  |  |  |
| 6   |  |  |  |
| <b>ANLEGE (Appendix) : 1</b><br>Dem Zertifikat liegt unser Prüf- und Zertifikatsprotokoll zugrunde.<br>Produkt und Fertigungsstätte erfüllen § 26 und § 21 des<br>Produktsicherheitsgesetzes.<br>This certificate is based on our Testing and Certification Report.<br>Product and production facility fulfill paragraph 26 and 21 of the<br>Product Safety Law.<br>TÜV Rheinland ICA Products GmbH, Tillystraße 2, 90431 Nürnberg<br>Tel. +49 (0) 910 856-1370, e-mail: service@tdv.com<br>Fax: +49 (0) 910 856-3933, http://www.tuv.com/testing<br>Anstellungsdatum / Date of issue : 13.10.2023 (day/month/year) |  |  |  |
|   |  | <b>Zertifizierungsstelle</b><br><br>Dipl.-Ing. R. Pank   |  |







## 2. KITSEN Product – Scaffolding System

**KITSEN**<sup>®</sup>

### Aluminum Folding Scaffold

- 1- **Light weight**, made of aluminum alloy, easy to handle
- 2- **Various styles**, meet different needs
- 3- **Convenient to transport and store**
- 4- Folding mechanism and **quick assembly**
- 5- Safe Working Load: **200kg**
- 6- Ideal for internal and external decoration and maintenance

### Project Cases:

**Location:** Hong Kong, Ireland, UK, Germany ...

**Application:** outer wall maintenance, light rail, LED display...





## 2. KITSEN Product – OEM Products

**KITSEN**®

Perfect Compatibility of ALSHOR(as shoring)and PRO-SHORE (as decking form)



Perfect compatibility of  
ALSHOR (as shoring) and  
PRO-SHORE (as decking form)

Perfect Compatibility of SHORFAST(as shoring)and PRO-DECK (as decking form)



Perfect compatibility of  
SHORFAST (as shoring) and  
PRO-DECK (as decking form)



Topec Panels (for SGB)







## 2. KITSEN Product – OEM Products

**KITSEN**<sup>®</sup>



Aluminum Peri Prop

Airodek for RMD



### 3. Why choose KITSEN?

**KITSEN**<sup>®</sup>

**Why?**



\*\*ZERO Quality Accident.

\*\*All products are covered by CNY10,000,000.00 Product Liability Insurance.


\*\*Quality Management meets **ISO9001:2015 Standards**.

\*\*Welding Procedure meets the requirements of IIW manufacturer certification scheme, **ISO 3834 Standards**.

\*\*Monthly Production Capacity- 300 containers.

\*\*Passed the Factory Audit by Harsco.

\*\*We have our OEM & ODM customers worldwide, such as: AT-PAC, PRO-SHORE & DAYTON SUPERIOR(USA), Harsco Worldwide & Aluma & SGB, RMD worldwide, ETC.








Welcome to join us!

**KITSEN**<sup>®</sup>



Based on the 27 years' experience of cooperating with above big companies, we own big production ability, stable & best quality control management and top engineering support, which makes us a reliable manufacture & solution provider.





### 3. Why choose KITSEN?



**中国平安财产保险股份有限公司**  
PING AN PROPERTY & CASUALTY INSURANCE COMPANY OF CHINA, LTD.

**CERTIFICATE OF LIABILITY INSURANCE**

CERTIFICATE NUMBER: 01 Date: January 19th, 2019

This certificate is issued as a matter of information only and confers no rights upon the certificate holder. This certificate does not amend, extend or alter the coverage afforded by the policies below.

|                         |  |
|-------------------------|--|
| Name/Address of Insured | INSURANCE COMPANY: Ping An Property & Casualty Insurance Company of China, Ltd. Guangdong Branch |
|                         | LOSS ADJUSTER:   |

**Coverage:**  
This is to certify that policy of insurance listed below has been issued to insured named above for policy period indicated, notwithstanding any endorsement or any condition of any contract or other document with respect to which this certificate may be issued or may pertain. The insurance afforded by the policy described herein is subject to all its terms, exclusions and conditions of such policy, limits above which may have been subject to prior claims.

| Type Of Insurance           | Policy Number      | Policy Effective Day          | Policy Expiration day         | Limits of Insurability(CNY) |                   |
|-----------------------------|--------------------|-------------------------------|-------------------------------|-----------------------------|-------------------|
| Product liability insurance | 100403080101987326 | January 24 <sup>th</sup> 2019 | January 23 <sup>rd</sup> 2020 | General                     | CNY 10,000,000.00 |
|                             |                    |                               |                               | Aggregate                   |                   |
|                             |                    |                               |                               | Each Occurrence             | CNY 3,000,000.00  |

| Product Covered  | Jurisdiction / Territory                              |
|--|---|
| Scaffolding and Formwork(Including America and Canada) | World Justice/Worldwide(Including America and Canada) |

|   |   |
|---|---|
| <b>Certificate Holder:</b><br>Name: KITSEN TECHNOLOGIES CO., LTD.<br>Address: C2-1, No.2 W 3rd Industrial Zone, Bagan, Foshan Yangsheng (Yangsheng, Guangdong), China | <b>Cancellation</b><br>Should any of the above described policies be cancelled herein for any reason then (herein), the issuing company will endeavor to notify the certificate holder, notified to the effect that failure to notify shall impose no obligation or liability of any kind upon the company. It is agreed that:<br><br>Ping An Property & Casualty Insurance Company of China, Ltd.<br>Guangdong Branch.<br>AUTHORIZED REPRESENTATIVE |
|---|---|

### Product Liability Insurance

|            |                   |
|------------|-------------------|
| General    | CNY 10,000,000.00 |
| Aggregate  |                   |
| Each       | CNY 3,000,000.00  |
| Occurrence |                   |

**All Kitsen products are covered by CNY10,000,000.00 Product Liability Insurance**



**KITSEN**<sup>®</sup>



**THANK YOU !**

Web: [www.kitsen.com](http://www.kitsen.com)